Weddington
720136

```
=> fil reg
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                       ENTRY    SESSION
FULL ESTIMATED COST                                   175.25    1051.58

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)          SINCE FILE      TOTAL
                                                       ENTRY    SESSION
CA SUBSCRIBER PRICE                                    -3.53     -11.18

FILE 'REGISTRY' ENTERED AT 15:51:11 ON 26 NOV 2001
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2001 American Chemical Society (ACS)

STRUCTURE FILE UPDATES:   25 NOV 2001  HIGHEST RN 371755-13-4
DICTIONARY FILE UPDATES:  25 NOV 2001  HIGHEST RN 371755-13-4

TSCA INFORMATION NOW CURRENT THROUGH July 7, 2001

  Please note that search-term pricing does apply when
  conducting SmartSELECT searches.

Crossover limits have been increased.  See HELP CROSSOVER for details.

Calculated physical property data is now available.  See HELP PROPERTIES
for more information.  See STNote 27, Searching Properties in the CAS
Registry File, for complete details:
http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf

=> e high kauric acid oil/cn 5

E1            1     HIGH GOLD MG 35/CN
E2            1     HIGH IRON DIAMINE/CN
E3            0 --> HIGH KAURIC ACID OIL/CN
E4            1     HIGH LIGHT INDUCIBLE PROTEIN (GUILLARDIA THETA GENE HLIP)/CN
E5            1     HIGH MOBILITY GROUP PROTEIN HMG-I/Y (BRASSICA NAPUS GENE HMG
                    -I/Y)/CN

=> e high lauric acid oil/cn 5
E1            1     HIGH GOLD MG 35/CN
E2            1     HIGH IRON DIAMINE/CN
E3            0 --> HIGH LAURIC ACID OIL/CN
E4            1     HIGH LIGHT INDUCIBLE PROTEIN (GUILLARDIA THETA GENE HLIP)/CN
E5            1     HIGH MOBILITY GROUP PROTEIN HMG-I/Y (BRASSICA NAPUS GENE HMG
                    -I/Y)/CN

=> e lauric acid oil/cn 5
E1            1     LAURIC ACID NITRILE/CN
E2            1     LAURIC ACID OCTADECYL THIOESTER/CN
E3            0 --> LAURIC ACID OIL/CN
E4            1     LAURIC ACID PENTAETHYLENE GLYCOL ESTER/CN
E5            1     LAURIC ACID POLYETHYLENE GLYCOL ESTER/CN

=> e coconut oil/cn 5
E1            1     COCONUT DIETHANOLAMIDE/CN
E2            1     COCONUT FATTY ACIDS/CN
E3            1 --> COCONUT OIL/CN
E4            1     COCONUT OIL ACID MONOETHANOLAMINE SALTS/CN
E5            1     COCONUT OIL ACID-AMMONIUM CONDENSATE/CN

=> s e3;d ide can
L1            1 "COCONUT OIL"/CN

Searched by: Mary Hale 308-4258 CM-1 12D16
```

L1 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2001 ACS
RN 8001-31-8 REGISTRY *
* Use of this CAS Registry Number alone as a search term in other STN files may result in incomplete search results. For additional information, enter HELP RN* at an online arrow prompt (=>).
CN **Coconut oil** (CA INDEX NAME)
OTHER NAMES:
CN Cocos nucifera oil
CN Copra oil
CN Fats and Glyceridic oils, coconut
CN Fats and Glyceridic oils, copra
CN Hydrol 110
CN Koline
CN Koline 76
CN Oils, coconut
CN Oils, copra
CN Oils, glyceridic, coconut
CN Oils, glyceridic, copra
CN Victory 76
DEF Extractives and their physically modified derivatives. It consists primarily of the glycerides of the fatty acids capric, lauric, myristic, oleic and palmitic. (Cocos nucifera).
DR 8038-07-1, 8038-08-2, 84961-48-8
MF Unspecified
CI COM, MAN, CTS
LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, BIOSIS, BIOTECHNO, CANCERLIT, CBNB, CHEMCATS, CHEMLIST, CIN, CSCHEM, CSNB, DDFU, DETHERM*, DIOGENES, DRUGU, EMBASE, HSDB*, IPA, MEDLINE, MSDS-OHS, PDLCOM*, PROMT, RTECS*, TOXCENTER, USPATFULL, VETU
(*File contains numerically searchable property data)
Other Sources: DSL**, EINECS**, TSCA**
(**Enter CHEMLIST File for up-to-date regulatory information)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

=> e palm kernel oil/cn 5
E1 1 PALM BUTTER/CN
E2 1 PALM KERNEL ACIDS, SODIUM SALT/CN
E3 1 --> PALM KERNEL OIL/CN
E4 1 PALM KERNEL OIL FATTY ACID SODIUM SALT/CN
E5 1 PALM KERNEL OIL, ETHOXYLATED/CN

=> s e3;d ide can
L2 1 "PALM KERNEL OIL"/CN

L2 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2001 ACS
RN 8023-79-8 REGISTRY *
* Use of this CAS Registry Number alone as a search term in other STN files may result in incomplete search results. For additional information, enter HELP RN* at an online arrow prompt (=>).
CN **Palm kernel oil** (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Oils, glyceridic, palm kernel
CN Oils, palm kernel
OTHER NAMES:
CN Fats and Glyceridic oils, palm kernel

Searched by: Mary Hale 308-4258 CM-1 12D16

```
CN   Palm seed oil
DEF  Extractives and their physically modified derivatives.  It consists
     primarily of the glycerides of the fatty acids linoleic acid and oleic
     acid.  (Elaeis quineensis, Palmae).
MF   Unspecified
CI   COM, MAN, CTS
LC   STN Files:   AGRICOLA, BIOSIS, CHEMLIST, CIN, CSCHEM, DETHERM*, HSDB*,
       USPATFULL
         (*File contains numerically searchable property data)
     Other Sources:   DSL**, EINECS**, TSCA**
         (**Enter CHEMLIST File for up-to-date regulatory information)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***


=> e lauric acid rapeseed oil/cn 5
E1            1     LAURIC ACID POLYETHYLENE GLYCOL ESTER/CN
E2            1     LAURIC ACID POLYGLYCERIDE/CN
E3            0 --> LAURIC ACID RAPESEED OIL/CN
E4            1     LAURIC ACID SACCHAROSE ESTER/CN
E5            1     LAURIC ACID SORBITAN ESTER/CN

=> e rapeseed oil/cn 5
E1            1     RAPESEED MEAL CAKE/CN
E2            1     RAPESEED MEAL, TOWER/CN
E3            1 --> RAPESEED OIL/CN
E4            1     RAPESEED OIL FATTY ACID CALCIUM SALTS/CN
E5            1     RAPESEED OIL FATTY ACID SODIUM SALTS/CN

=> e
E6            1     RAPESEED OIL, ERUCIC ACID-HIGH/CN
E7            1     RAPESEED OIL, HYDROGENATED/CN
E8            1     RAPESEED OIL, INTERESTERIFIED/CN
E9            1     RAPESEED OIL, SULFATED/CN
E10           1     RAPESEED OIL, VULCANIZED/CN
E11           1     RAPESEED-OIL FATTY ACIDS/CN
E12           1     RAPG 3700/CN
E13           1     RAPHAEL/CN
E14           1     RAPHANATIN/CN
E15           1     RAPHANIN/CN
E16           1     RAPHANUS NIGER, EXT./CN
E17           1     RAPHANUS RAPHANISTRUM, EXT./CN

=> s e3-e11
              1 "RAPESEED OIL"/CN
              1 "RAPESEED OIL FATTY ACID CALCIUM SALTS"/CN
              1 "RAPESEED OIL FATTY ACID SODIUM SALTS"/CN
              1 "RAPESEED OIL, ERUCIC ACID-HIGH"/CN
              1 "RAPESEED OIL, HYDROGENATED"/CN
              1 "RAPESEED OIL, INTERESTERIFIED"/CN
              1 "RAPESEED OIL, SULFATED"/CN
              1 "RAPESEED OIL, VULCANIZED"/CN
              1 "RAPESEED-OIL FATTY ACIDS"/CN
L3            9 ("RAPESEED OIL"/CN OR "RAPESEED OIL FATTY ACID CALCIUM SALTS"/CN
                 OR "RAPESEED OIL FATTY ACID SODIUM SALTS"/CN OR "RAPESEED OIL,
                ERUCIC ACID-HIGH"/CN OR "RAPESEED OIL, HYDROGENATED"/CN OR "RAPE
                SEED OIL, INTERESTERIFIED"/CN OR "RAPESEED OIL, SULFATED"/CN OR
                "RAPESEED OIL, VULCANIZED"/CN OR "RAPESEED-OIL FATTY ACIDS"/CN)

=> e lauric acid/cn 5
E1            1     LAURIBIC/CN
E2            1     LAURIBIC II/CN


Searched by: Mary Hale 308-4258 CM-1 12D16
```

```
E3            1 --> LAURIC ACID/CN
E4            1     LAURIC ACID .ALPHA.-METHOXY-4,6-DINITRO-O-TOLYL ESTER/CN
E5            1     LAURIC ACID .ALPHA.-MONOGLYCERIDE/CN

=> e
E6            1     LAURIC ACID .BETA.-MONOGLYCERIDE/CN
E7            1     LAURIC ACID .OMEGA.-1-HYDROXYLASE/CN
E8            1     LAURIC ACID .OMEGA.-2 HYDROXYLASE/CN
E9            1     LAURIC ACID .OMEGA.-3 HYDROXYLASE/CN
E10           1     LAURIC ACID .OMEGA.-4 HYDROXYLASE/CN
E11           1     LAURIC ACID .OMEGA.-5 HYDROXYLASE/CN
E12           1     LAURIC ACID .OMEGA.-6 HYDROXYLASE/CN
E13           1     LAURIC ACID .OMEGA.-HYDROXYLASE/CN
E14           1     LAURIC ACID .OMEGA.-HYDROXYLASE (RAT KIDNEY ISOENZYME 4A2)/C
                    N
E15           1     LAURIC ACID .OMEGA.-HYDROXYLASE (RAT KIDNEY ISOENZYME 4A3)/C
                    N
E16           1     LAURIC ACID .OMEGA.-HYDROXYLASE (VICIA SATIVA GENE VAGH111)/
                    CN
E17           1     LAURIC ACID 1-(2-NAPHTHYL)ETHYL ESTER/CN

=> e lauric acid oil/cn 5
E1            1     LAURIC ACID NITRILE/CN
E2            1     LAURIC ACID OCTADECYL THIOESTER/CN
E3            0 --> LAURIC ACID OIL/CN
E4            1     LAURIC ACID PENTAETHYLENE GLYCOL ESTER/CN
E5            1     LAURIC ACID POLYETHYLENE GLYCOL ESTER/CN

=> s lauric acid ?/cn
L4           76 LAURIC ACID ?/CN

=> fil caplus;e animal feed/ct 5
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                       ENTRY    SESSION
FULL ESTIMATED COST                                    49.84    1101.42

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)          SINCE FILE      TOTAL
                                                       ENTRY    SESSION
CA SUBSCRIBER PRICE                                     0.00     -11.18

FILE 'CAPLUS' ENTERED AT 15:53:27 ON 26 NOV 2001
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2001 AMERICAN CHEMICAL SOCIETY (ACS)
```



```
FILE COVERS 1947 - 26 Nov 2001  VOL 135 ISS 23
FILE LAST UPDATED: 25 Nov 2001  (20011125/ED)

  This file contains CAS Registry Numbers for easy and accurate
  substance identification.

  This file supports REG1stRY for direct browsing and searching of
  all substance data from the REGISTRY file.  Enter HELP FIRST for
  more information.

CAplus now provides online access to patents and literature covered
```

Searched by: Mary Hale 308-4258 CM-1 12D16

in CA from 1947 to the present. On April 22, 2001, bibliographic information and abstracts were added for over 2.2 million references published in CA from 1947 to 1966.

The CA Lexicon is now available in the Controlled Term (/CT) field. Enter HELP LEXICON for full details.


```
E#   FREQUENCY     AT      TERM
--   ---------     --      ----
E1           0      2      ANIMAL FATS (L) WHALE OIL, SULFONATED, POTASSIUM SALTS
                           /CT
E2           0      2      ANIMAL FATS (L) WHALE OIL, SULFONATED, SODIUM SALTS/CT
E3           0      2 --> ANIMAL FEED/CT
E4           0      2      ANIMAL FEED ANAL./CT
E5           0      2      ANIMAL FEEDING/CT

=> e e3+all/ct
E1           0    -->  Animal feed/CT
E2       16506     USE  Feed/CT
*********  END***

=> fil medl,biosis,caba,agricola,caplus,embase,jicst,wpids;s (animal feed or feed?)
and (l1 or l2 or l3 or high lauric acid (w)(oil or rapeseed oil) or coconut oil or
palm kernel oil)
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                       ENTRY    SESSION
FULL ESTIMATED COST                                     0.65    1102.07

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)          SINCE FILE      TOTAL
                                                       ENTRY    SESSION
CA SUBSCRIBER PRICE                                     0.00     -11.18

FILE 'MEDLINE' ENTERED AT 15:54:46 ON 26 NOV 2001

FILE 'BIOSIS' ENTERED AT 15:54:46 ON 26 NOV 2001
COPYRIGHT (C) 2001 BIOSIS(R)

FILE 'CABA' ENTERED AT 15:54:46 ON 26 NOV 2001
COPYRIGHT (C) 2001 CAB INTERNATIONAL (CABI)

FILE 'AGRICOLA' ENTERED AT 15:54:46 ON 26 NOV 2001

FILE 'CAPLUS' ENTERED AT 15:54:46 ON 26 NOV 2001
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2001 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'EMBASE' ENTERED AT 15:54:46 ON 26 NOV 2001
COPYRIGHT (C) 2001 Elsevier Science B.V.  All rights reserved.

FILE 'JICST-EPLUS' ENTERED AT 15:54:46 ON 26 NOV 2001
COPYRIGHT (C) 2001 Japan Science and Technology Corporation (JST)

FILE 'WPIDS' ENTERED AT 15:54:46 ON 26 NOV 2001
COPYRIGHT (C) 2001 DERWENT INFORMATION LTD
```

Searched by: Mary Hale 308-4258 CM-1 12D16

```
L5          327 FILE MEDLINE
L6          457 FILE BIOSIS
L7          490 FILE CABA
L8          239 FILE AGRICOLA
L9          877 FILE CAPLUS
L10         402 FILE EMBASE
L11          36 FILE JICST-EPLUS
L12          75 FILE WPIDS

TOTAL FOR ALL FILES
L13        2903 (ANIMAL FEED OR FEED?) AND (L1 OR L2 OR L3 OR HIGH LAURIC ACID
                (W)(OIL OR RAPESEED OIL) OR COCONUT OIL OR PALM KERNEL OIL)

=> s l13 and composi?
L14         110 FILE MEDLINE
L15         184 FILE BIOSIS
L16         190 FILE CABA
L17          95 FILE AGRICOLA
L18         396 FILE CAPLUS
L19         157 FILE EMBASE
L20          12 FILE JICST-EPLUS
L21          38 FILE WPIDS

TOTAL FOR ALL FILES
L22        1182 L13 AND COMPOSI?

=> s (anti bacterial or antibacterial) and l22
L23           0 FILE MEDLINE
L24           0 FILE BIOSIS
L25           0 FILE CABA
L26           0 FILE AGRICOLA
L27           0 FILE CAPLUS
L28           0 FILE EMBASE
L29           0 FILE JICST-EPLUS
L30           3 FILE WPIDS

TOTAL FOR ALL FILES
L31           3 (ANTI BACTERIAL OR ANTIBACTERIAL) AND L22

=> d 1-3

L31  ANSWER 1 OF 3  WPIDS COPYRIGHT 2001   DERWENT INFORMATION LTD
AN   2001-424088 [45]   WPIDS
CR   1999-570772 [48]; 2000-375596 [32]
DNC  C2001-128287
TI   Nutritional composition comprises bactericidal amounts of
     diacetyltartaric acid esters of mono/di-glycerides and is useful for
     inhibiting bacterial infections.
DC   B05 D13
IN   ANDERSON, S N; GUZMAN-HARTY, M; HILTY, M D; LIU, J; MAZER, T B; REAVES, L
     A; SCHALLER, J; WAI LEE, T S
PA   (ABBO) ABBOTT LAB
CYC  1
PI   US 6228886    B1 20010508 (200145)*       8p    A61K031-225
ADT  US 6228886 B1 Cont of US 1996-690737 19960731, Cont of US 1999-306608
     19990416, US 2000-577423 20000522
FDT  US 6228886 B1 Cont of US 5958974, Cont of US 6066669
PRAI US 1996-690737   19960731; US 1999-306608   19990416; US 2000-577423
     20000522
IC   ICM  A61K031-225
```

Searched by: Mary Hale 308-4258 CM-1 12D16

L31 ANSWER 2 OF 3 WPIDS COPYRIGHT 2001 DERWENT INFORMATION LTD
AN 2000-126583 [11] WPIDS
DNC C2000-038554
TI Use of natural oils with a high lauric acid content in **animal feed**, reduces the need for antibiotics in production animals.
DC B05 C03 D13
IN TETER, B B
PA (UYMA-N) UNIV MARYLAND BALTIMORE
CYC 85
PI WO 9966804 A1 19991229 (200011)* EN 17p A23K001-17
RW: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW NL OA PT SD SE SL SZ UG ZW
W: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG US UZ VN YU ZW
AU 9946993 A 20000110 (200025) A23K001-17
EP 1089635 A1 20010411 (200121) EN A23K001-17
R: AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE
ADT WO 9966804 A1 WO 1999-US13894 19990622; AU 9946993 A AU 1999-46993 19990622; EP 1089635 A1 EP 1999-930456 19990622, WO 1999-US13894 19990622
FDT AU 9946993 A Based on WO 9966804; EP 1089635 A1 Based on WO 9966804
PRAI US 1998-90303P 19980623
IC ICM A23K001-17
ICS A23K001-18

L31 ANSWER 3 OF 3 WPIDS COPYRIGHT 2001 DERWENT INFORMATION LTD
AN 1998-159124 [14] WPIDS
DNC C1998-051278
TI Nutritional **composition** used for inhibiting infection by pathogenic microorganism - comprise di acetyl-tartaric acid ester(s) of mono- and di-glyceride(s) and edible macro-nutrients.
DC B05 D13
IN ANDERSON, S N; BOWMAN, T M; GUZMAN-HARTY, M; HILTY, M D; LAMM, J M; LEE, T S W; LIU, J; MAZER, T B; SCHALLER, J; LEE, T S
PA (ABBO) ABBOTT LAB
CYC 22
PI WO 9804157 A1 19980205 (199814)* EN 34p A23L001-30
RW: AT BE CH DE DK ES FI FR GB GR IE IT LU MC NL PT SE
W: CA JP MX
US 5866606 A 19990202 (199912) A61K031-20
EP 920262 A1 19990609 (199927) EN A23L001-30
R: AT BE CH DE DK ES FI FR GB GR IE IT LI LU NL PT SE
MX 9810749 A1 19990401 (200055) A23L001-30
JP 2000515892 W 20001128 (200065) 36p A61K031-22
ADT WO 9804157 A1 WO 1997-US12960 19970723; US 5866606 A Cont of US 1996-690736 19960731, US 1997-887452 19970702; EP 920262 A1 EP 1997-934281 19970723, WO 1997-US12960 19970723; MX 9810749 A1 MX 1998-10749 19981215; JP 2000515892 W WO 1997-US12960 19970723, JP 1998-508964 19970723
FDT EP 920262 A1 Based on WO 9804157; JP 2000515892 W Based on WO 9804157
PRAI US 1996-690736 19960731; US 1997-887452 19970702
IC ICM A23L001-30; A61K031-20; A61K031-22
ICS A61K031-23; A61P031-12; A61P031-16; A61P031-18; A61P031-22

=> s (anti bacterial or antibacterial) and l13
L32 0 FILE MEDLINE
L33 0 FILE BIOSIS
L34 0 FILE CABA
L35 0 FILE AGRICOLA
L36 1 FILE CAPLUS

Searched by: Mary Hale 308-4258 CM-1 12D16

```
L37           0 FILE EMBASE
L38           0 FILE JICST-EPLUS
L39           3 FILE WPIDS

TOTAL FOR ALL FILES
L40           4 (ANTI BACTERIAL OR ANTIBACTERIAL) AND L13

=> s l40 not l31
L41           0 FILE MEDLINE
L42           0 FILE BIOSIS
L43           0 FILE CABA
L44           0 FILE AGRICOLA
L45           1 FILE CAPLUS
L46           0 FILE EMBASE
L47           0 FILE JICST-EPLUS
L48           0 FILE WPIDS

TOTAL FOR ALL FILES
L49           1 L40 NOT L31

=> d cbib abs

L49  ANSWER 1 OF 1  CAPLUS  COPYRIGHT 2001 ACS
1999:819194   Document No. 132:35055  Use of oils having a high lauric acid
      content in feed.  Teter, Beverly B. (University of Maryland,
      USA).  PCT Int. Appl. WO 9966804 A1 19991229, 19 pp.  DESIGNATED STATES:
      W:  AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK,
      EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID; IL, IN, IS, JP, KE, KG, KP,
      KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL,
      PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN,
      YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT, BE, BF, BJ, CF, CG,
      CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR,
      NE, NL, PT, SE, SN, TD, TG.  (English).  CODEN: PIXXD2.  APPLICATION: WO
      1999-US13894 19990622.  PRIORITY: US 1998-90303 19980623.
AB    Antibiotic use in livestock is reduced by the use of an antimicrobial
      fatty acid component in feed or as a feed supplement.
      The use of natural oils that are high in lauric acid are particularly
      indicated.  Thus, broiler chickens are fed a diet in which part of the fat
      is replaced with coconut oil, so that lauric acid
      comprises about 3% by wt. of the diet.


=> s teter, b?/au,in or teter b?/au,in
'IN' IS NOT A VALID FIELD CODE
L50          27 FILE MEDLINE
L51          66 FILE BIOSIS
L52          19 FILE CABA
'IN' IS NOT A VALID FIELD CODE
L53          11 FILE AGRICOLA
L54          30 FILE CAPLUS
'IN' IS NOT A VALID FIELD CODE
L55          18 FILE EMBASE
L56           0 FILE JICST-EPLUS
L57           4 FILE WPIDS

TOTAL FOR ALL FILES
L58         175 TETER, B?/AU,IN OR TETER B?/AU,IN

=> s l13 and l58
L59           0 FILE MEDLINE
L60           0 FILE BIOSIS
L61           0 FILE CABA


Searched by: Mary Hale 308-4258 CM-1 12D16
```